



Skipper Post & Base System

Specification Sheet
STS212340 / STS212350

22/07/24

safesite[®]
F A C I L I T I E S



Skipper Post & Base System

The Skipper retractable post and base system is used in combination with the Skipper retractable barrier unit. The post and rail units can be connected to others to form a long line or positioned in a square to mark out an area.

The system offers an alternative to the Skipper cone and retractable unit combination. The post looks sleek and professional and can be used both indoors and outside.

The post can be placed in the ground, or used with the base on hard surfaces. The base can be filled with either water or sand to improve the stability.

Key Features

- > Suitable for indoor and outdoor use
- > Can be filled with water or sand
- > Compatible with other Skipper products and accessories
- > Reflective strips
- > Can be sunk into the ground or placed in its base (for hard surfaces)



Can be used with to adjoin to other skippers to form barriers



Skipper Post compatible with A4 sign holder

Skipper Post & Base Specification

Description	Size (mm)	Weight (kg)	Filled Weight (kg)
STS212340 - Skipper Post	H1000 x W120 x D120	-	-
STS212350 - Skipper Base	H100 x W500 x D500	2.3	13.3





Accessories

1

9m Skipper Unit Tape
STS212300



2

Skipper Safety Light
STS212390



3

Skipper A4 Sign holder
STS212280

