



SafeSite Facilities

Speed Ramp

Specification Sheet


safesite[®]
F A C I L I T I E S



Speed Ramps

Vehicles travelling too fast can be extremely dangerous to pedestrians and other road users, SafeSite Facilities speed ramps are perfect for temporary or permanent traffic control.

Highly visible during the day due to their contrasting yellow and black colour sections, but also easy to see at night time due to the built in reflective cats eyes. Each section is securely fixed to the floor using four heavy duty bolts, and has good grip in wet conditions thanks to the ramps chequered grip formation.



Speed Ramp Specifications

Measurements in mm

Length	Width	Height	Weight (kg)	Colour	Load Capacity	Product ID
500	480	50	8	Black	44 tonnes	STS210070
500	480	50	8	Yellow	44 tonnes	STS210130
500	480	75	11.5	Black	44 tonnes	STS210090
500	480	75	11.5	Yellow	44 tonnes	STS210150

Key Features

- ▶ Easy to install traffic calming ramps
- ▶ Made from recycled material and is recyclable
- ▶ White reflectors in each section make for good visibility at night and in bad weather
- ▶ Designed to be installed on good condition concrete or asphalt surfaces that are at least 100mm deep
- ▶ Recess underneath to allow pipes / cables
- ▶ Can withstand 44 tonne HGV's
- ▶ Chequered grip pattern

Joined ramps with end section



Cable channel beneath speed ramp





Available Accessories

Stock Code	Fixing Type
GSFS0050	SafeSite Coach Screws M12 x 75mm
GSFS0057	14 x 75 Nylon Wall Plug





Unit 1, Martello Enterprise Centre, Courtwick Lane,
Littlehampton, West Sussex, BN17 7PA



info@safesitefacilities.co.uk



www.safesitefacilities.co.uk

The product information included in this document is correct at the time of print. Some of the details and specifications featured may change without prior notice. Please visit our website or contact our sales team for the most up-to-date information.